


# HKD<sup>®</sup>

## ELECTRIC HOIST & WINCH



## MORE POWERFUL





# CONTENTS

## **P. 01**

**HKD Electric Drum Winch**

## **P. 02**

**HKD Portable Crane With Drum Winch**

**HKD Suspension Drum Winch**

## **P. 03**

**HKD Electrical Monorail Drum Winch c/w Wireless Remote Control**

## **P. 04**

**HKD Monorail Drum Winch With Plain Trolley**

**HKD Monorail Drum Winch With Gear Trolley**

# CONTENTS



**P.05**

**HKD Grooved Winch**  
**HKD Portable Crane With Grooved Winch**

**P.06**

**HKD Suspension Grooved Winch**  
**HKD Electrical Monorail Grooved Winch**

**P.07**

**HKD Monorail Grooved Winch With Plain Trolley**  
**HKD Monorail Grooved Winch With Gear Trolley**

**P.08**

**HKD Mini Winch**  
**HKD Monorail Mini Winch With Plain Trolley**  
**HKD Monorail Mini Winch With Gear Trolley**



## HKD ELECTRIC DRUM WINCH VOLTAGE : SINGLE PHASE 220V 50HZ



Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Duty Rating (%)
HKD-202S	200	15 ~ 18	28	6 x 30	0.5	25
HKD-204S	250	15 ~ 18	28	7 x 30	1.1	
HKD-208S	350	15 ~ 18	28	7 x 30	1.1	
HKD-210S	500	21 ~ 25	42	8 x 45	1.5	
HKD-210SL		21 ~ 25	95	8 x 100	1.5	
HKD-210SXL		21 ~ 25	195	8 x 200	1.5	

HKD-202 | HKD-204 | HKD-208

## HKD ELECTRIC DRUM WINCH VOLTAGE : 3 PHASE 415V 50HZ



Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Duty Rating (%)
HKD-202	200	15 ~ 18	28	6 x 30	0.5	45
HKD-204	250	15 ~ 18	28	7 x 30	1.1	
HKD-208	350	15 ~ 18	28	7 x 30	1.1	
HKD-210	500	21 ~ 25	42	8 x 45	1.5	
HKD-210L		21 ~ 25	95	8 x 100	1.5	
HKD-210XL		21 ~ 25	195	8 x 200	1.5	
HKD-210XL-CB		21 ~ 25	195	8 x 200	1.5	
HKD-212	1000	12 ~ 15	42	10 x 45	2.2	
HKD-212L		12 ~ 15	95	10 x 100	2.2	
HKD-212XL		12 ~ 15	195	10 x 200	2.2	
HKD-213	2000	12 ~ 15	42	12 x 45	3.7	
HKD-213L		12 ~ 15	95	12 x 100	3.7	
HKD-213XL		12 ~ 15	195	12 x 200	3.7	
HKD-214	3000	12 ~ 15	42	14 x 45	5.5	
HKD-214L		12 ~ 15	95	14 x 100	5.5	
HKD-214XL		12 ~ 15	195	14 x 200	5.5	
HKD-215	5000	12 ~ 15	42	16 x 45	7.5	
HKD-215L		12 ~ 15	95	16 x 100	7.5	
HKD-215XL		12 ~ 15	195	16 x 200	7.5	

HKD-210



HKD-210L



HKD-210XL



HKD-210XL



HKD-212



HKD-213 | HKD-214 | HKD-215

## HKD PORTABLE CRANE WITH DRUM WINCH VOLTAGE : SINGLE PHASE 220V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Duty Rating (%)
HKD-30-202S	200	15 ~ 18	28	6 x 30	0.5	25
HKD-30-204S	250	15 ~ 18	28	7 x 30	1.1	
HKD-30-208S	350	15 ~ 18	28	7 x 30	1.1	
HKD-30-210S	500	21 ~ 25	42	8 x 45	1.5	
HKD-30-210SL		21 ~ 25	95	8 x 100	1.5	
HKD-30-210SXL		21 ~ 25	195	8 x 200	1.5	



HKD-30-202 S

## HKD PORTABLE CRANE WITH DRUM WINCH VOLTAGE : 3 PHASE 415V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Duty Rating (%)
HKD-30-202	200	15 ~ 18	28	6 x 30	0.5	45
HKD-30-204	250	15 ~ 18	28	7 x 30	1.1	
HKD-30-208	350	15 ~ 18	28	7 x 30	1.1	
HKD-30-210	500	21 ~ 25	42	8 x 45	1.5	
HKD-30-210L		21 ~ 25	95	8 x 100	1.5	
HKD-30-210XL		21 ~ 25	195	8 x 200	1.5	

## HKD SUSPENSION DRUM WINCH VOLTAGE : SINGLE PHASE 220V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Duty Rating (%)
HKD-40-202S	200	15 ~ 18	28	6 x 30	0.5	25
HKD-40-204S	250	15 ~ 18	28	7 x 30	1.1	
HKD-40-208S	350	15 ~ 18	28	7 x 30	1.1	
HKD-40-210S	500	21 ~ 25	42	8 x 45	1.5	
HKD-40-210SL		21 ~ 25	95	8 x 100	1.5	
HKD-40-210SXL		21 ~ 25	195	8 x 200	1.5	



HKD-40-202 S

## HKD SUSPENSION DRUM WINCH VOLTAGE : 3 PHASE 415V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Duty Rating (%)
HKD-40-202	200	15 ~ 18	28	6 x 30	0.5	45
HKD-40-204	250	15 ~ 18	28	7 x 30	1.1	
HKD-40-208	350	15 ~ 18	28	7 x 30	1.1	
HKD-40-210	500	21 ~ 25	42	8 x 45	1.5	
HKD-40-210L		21 ~ 25	95	8 x 100	1.5	
HKD-40-210XL		21 ~ 25	195	8 x 200	1.5	



HKD-40-202



**HKD ELECTRICAL MONORAIL DRUM WINCH C/W WIRELESS REMOTE CONTROL  
VOLTAGE : SINGLE PHASE 220V 50HZ**

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Trolley Speed (m/min)	Trolley Motor (kw)	Flange Width (mm)	Duty Rating (%)
HKD-50-202S	200	15 ~ 18	28	6 x 30	0.5	14	0.4	75 ~ 200	25
HKD-50-204S	250	15 ~ 18	28	7 x 30	1.1	14	0.4	75 ~ 200	
HKD-50-208S	350	15 ~ 18	28	7 x 30	1.1	14	0.4	75 ~ 200	
HKD-50-210S	500	21 ~ 25	42	8 x 45	1.5	14	0.4	75 ~ 200	
HKD-50-210SL		21 ~ 25	95	8 x 100	1.5	14	0.4	75 ~ 200	
HKD-50-210SXL		21 ~ 25	195	8 x 200	1.5	14	0.4	75 ~ 200	

**HKD ELECTRICAL MONORAIL DRUM WINCH C/W WIRELESS REMOTE CONTROL  
VOLTAGE : 3 PHASE 415V 50HZ**

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Trolley Speed (m/min)	Trolley Motor (kw)	Flange Width (mm)	Duty Rating (%)
HKD-50-202	200	15 ~ 18	28	6 x 30	0.5	14	0.4	100 ~ 300	45
HKD-50-204	250	15 ~ 18	28	7 x 30	1.1	14	0.4	100 ~ 300	
HKD-50-208	350	15 ~ 18	28	7 x 30	1.1	14	0.4	100 ~ 300	
HKD-50-210	500	21 ~ 25	42	8 x 45	1.5	14	0.4	100 ~ 300	
HKD-50-210L		21 ~ 25	95	8 x 100	1.5	14	0.4	100 ~ 300	
HKD-50-210XL		21 ~ 25	195	8 x 200	1.5	14	0.4	100 ~ 300	
HKD-50-212	1000	12 ~ 15	42	10 x 45	2.2	14	0.75	100 ~ 300	
HKD-50-212L		12 ~ 15	95	10 x 100	2.2	14	0.75	100 ~ 300	
HKD-50-212XL		12 ~ 15	195	10 x 200	2.2	14	0.75	100 ~ 300	
HKD-50-213	2000	12 ~ 15	42	12 x 45	3.7	14	0.75	100 ~ 300	
HKD-50-213L		12 ~ 15	95	12 x 100	3.7	14	0.75	100 ~ 300	
HKD-50-213XL		12 ~ 15	195	12 x 200	3.7	14	0.75	100 ~ 300	
HKD-50-214	3000	12 ~ 15	42	14 x 45	5.5	14	0.75	100 ~ 300	
HKD-50-214L		12 ~ 15	95	14 x 100	5.5	14	0.75	100 ~ 300	
HKD-50-214XL		12 ~ 15	195	14 x 200	5.5	14	0.75	100 ~ 300	
HKD-50-215	5000	12 ~ 15	42	16 x 45	7.5	14	0.75	100 ~ 300	
HKD-50-215L		12 ~ 15	95	16 x 100	7.5	14	0.75	100 ~ 300	
HKD-50-215XL		12 ~ 15	195	16 x 200	7.5	14	0.75	100 ~ 300	

## HKD MONORAIL DRUM WINCH WITH PLAIN TROLLEY VOLTAGE : SINGLE PHASE 220V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Flange Width (mm)	Duty Rating (%)
HKD-60-202S	200	15 ~ 18	28	6 x 30	0.5	75 ~ 100	25
HKD-60-204S	250	15 ~ 18	28	7 x 30	1.1	75 ~ 100	
HKD-60-208S	350	15 ~ 18	28	7 x 30	1.1	75 ~ 100	
HKD-60-210S	500	21 ~ 25	42	8 x 45	1.5	75 ~ 100	
HKD-60-210SL		21 ~ 25	95	8 x 100	1.5	75 ~ 100	
HKD-60-210SXL		21 ~ 25	195	8 x 200	1.5	75 ~ 100	

## HKD MONORAIL DRUM WINCH WITH PLAIN TROLLEY VOLTAGE : 3 PHASE 415V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Flange Width (mm)	Duty Rating (%)
HKD-60-202	200	15 ~ 18	28	6 x 30	0.5	75 ~ 100	45
HKD-60-204	250	15 ~ 18	28	7 x 30	1.1	75 ~ 100	
HKD-60-208	350	15 ~ 18	28	7 x 30	1.1	75 ~ 100	
HKD-60-210	500	21 ~ 25	42	8 x 45	1.5	75 ~ 100	
HKD-60-210L		21 ~ 25	95	8 x 100	1.5	75 ~ 100	
HKD-60-210XL		21 ~ 25	195	8 x 200	1.5	75 ~ 100	

## HKD MONORAIL DRUM WINCH WITH GEAR TROLLEY VOLTAGE : SINGLE PHASE 220V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Flange Width (mm)	Duty Rating (%)
HKD-70-202S	200	15 ~ 18	28	6 x 30	0.5	75 ~ 100	25
HKD-70-204S	250	15 ~ 18	28	7 x 30	1.1	75 ~ 100	
HKD-70-208S	350	15 ~ 18	28	7 x 30	1.1	75 ~ 100	
HKD-70-210S	500	21 ~ 25	42	8 x 45	1.5	75 ~ 100	
HKD-70-210SL		21 ~ 25	95	8 x 100	1.5	75 ~ 100	
HKD-70-210SXL		21 ~ 25	195	8 x 200	1.5	75 ~ 100	

## HKD MONORAIL DRUM WINCH WITH GEAR TROLLEY VOLTAGE : 3 PHASE 415V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Flange Width (mm)	Duty Rating (%)
HKD-70-202	200	15 ~ 18	28	6 x 30	0.5	75 ~ 100	45
HKD-70-204	250	15 ~ 18	28	7 x 30	1.1	75 ~ 100	
HKD-70-208	350	15 ~ 18	28	7 x 30	1.1	75 ~ 100	
HKD-70-210	500	21 ~ 25	42	8 x 45	1.5	75 ~ 100	
HKD-70-210L		21 ~ 25	95	8 x 100	1.5	75 ~ 100	
HKD-70-210XL		21 ~ 25	195	8 x 200	1.5	75 ~ 100	



HKD-60-202 S



HKD-70-202 S

**HKD GROOVED WINCH  
VOLTAGE : SINGLE PHASE 220V 50HZ**

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Duty Rating (%)
HKD-502S	200	18	28	6 x 30	0.5	25
HKD-504S	250	18	28	7 x 30	1.1	
HKD-508S	350	18	28	7 x 30	1.1	
HKD-510S	500	25	28	8 x 30	1.5	



HKD-502 S

**HKD GROOVED WINCH  
VOLTAGE : 3 PHASE 415V 50HZ**

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Duty Rating (%)
HKD-502	200	18	28	6 x 30	0.5	45
HKD-504	250	18	28	7 x 30	1.1	
HKD-508	350	18	28	7 x 30	1.1	
HKD-510	500	25	28	8 x 30	1.5	
HKD-512	1000	15	42	10 x 45	2.2	
HKD-513	2000	15	42	12 x 45	3.7	
HKD-514	3000	15	42	14 x 45	5.5	
HKD-515	5000	15	42	16 x 45	7.5	

**HKD PORTABLE CRANE WITH GROOVED WINCH  
VOLTAGE : SINGLE PHASE 220V 50HZ**

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Duty Rating (%)
HKD-30-502S	200	18	28	6 x 30	0.5	25
HKD-30-504S	250	18	28	7 x 30	1.1	
HKD-30-508S	350	18	28	7 x 30	1.1	
HKD-30-510S	500	25	28	8 x 30	1.5	



HKD-30-502 S

**HKD PORTABLE CRANE WITH GROOVED WINCH  
VOLTAGE : 3 PHASE 415V 50HZ**

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Duty Rating (%)
HKD-30-502	200	18	28	6 x 30	0.5	45
HKD-30-504	250	18	28	7 x 30	1.1	
HKD-30-508	350	18	28	7 x 30	1.1	
HKD-30-510	500	25	28	8 x 30	1.5	



## HKD SUSPENSION GROOVED WINCH VOLTAGE : SINGLE PHASE 220V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Duty Rating (%)
HKD-40-502S	200	18	28	6 x 30	0.5	25
HKD-40-504S	250	18	28	7 x 30	1.1	
HKD-40-508S	350	18	28	7 x 30	1.1	
HKD-40-510S	500	25	28	8 x 30	1.5	



HKD-40-502 S

## HKD SUSPENSION GROOVED WINCH VOLTAGE : 3 PHASE 415V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Duty Rating (%)
HKD-40-502	200	18	28	6 x 30	0.5	45
HKD-40-504	250	18	28	7 x 30	1.1	
HKD-40-508	350	18	28	7 x 30	1.1	
HKD-40-510	500	25	28	8 x 30	1.5	

## HKD ELECTRICAL MONORAIL GROOVED WINCH VOLTAGE : SINGLE PHASE 220V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Trolley Speed (m/min)	Trolley Motor (kw)	Flange Width (mm)	Duty Rating (%)
HKD-50-502S	200	18	28	6 x 30	0.5	14	0.4	75 ~ 200	25
HKD-50-504S	250	18	28	7 x 30	1.1	14	0.4	75 ~ 200	
HKD-50-508S	350	18	28	7 x 30	1.1	14	0.4	75 ~ 200	
HKD-50-510S	500	25	28	8 x 30	1.5	14	0.4	75 ~ 200	

## HKD ELECTRICAL MONORAIL GROOVED WINCH VOLTAGE : 3 PHASE 415V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Trolley Speed (m/min)	Trolley Motor (kw)	Flange Width (mm)	Duty Rating (%)
HKD-50-502	200	18	28	6 x 30	0.5	14	0.4	100 ~ 300	
HKD-50-504	250	18	28	7 x 30	1.1	14	0.4	100 ~ 300	
HKD-50-508	350	18	28	7 x 30	1.1	14	0.4	100 ~ 300	
HKD-50-510	500	25	28	8 x 30	1.5	14	0.4	100 ~ 300	
HKD-50-512	1000	15	42	10 x 45	2.2	14	0.75	100 ~ 300	
HKD-50-513	2000	15	42	12 x 45	3.7	14	0.75	100 ~ 300	
HKD-50-514	3000	15	42	14 x 45	5.5	14	0.75	100 ~ 300	
HKD-50-515	5000	15	42	16 x 45	7.5	14	0.75	100 ~ 300	

## HKD MONORAIL GROOVED WINCH WITH PLAIN TROLLEY VOLTAGE : SINGLE PHASE 220V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Flange Width (mm)	Duty Rating (%)
HKD-60-502S	200	18	28	6 x 30	0.5	75 ~ 100	25
HKD-60-504S	250	18	28	7 x 30	1.1	75 ~ 100	
HKD-60-508S	350	18	28	7 x 30	1.1	75 ~ 100	
HKD-60-510S	500	25	28	8 x 30	1.5	75 ~ 100	



HKD-60-502 S

## HKD MONORAIL GROOVED WINCH WITH PLAIN TROLLEY VOLTAGE : 3 PHASE 415V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Flange Width (mm)	Duty Rating (%)
HKD-60-502	200	18	28	6 x 30	0.5	75 ~ 100	45
HKD-60-504	250	18	28	7 x 30	1.1	75 ~ 100	
HKD-60-508	350	18	28	7 x 30	1.1	75 ~ 100	
HKD-60-510	500	25	28	8 x 30	1.5	75 ~ 100	

## HKD MONORAIL GROOVED WINCH WITH GEAR TROLLEY VOLTAGE : SINGLE PHASE 220V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Flange Width (mm)	Duty Rating (%)
HKD-70-502S	200	18	28	6 x 30	0.5	75 ~ 100	25
HKD-70-504S	250	18	28	7 x 30	1.1	75 ~ 100	
HKD-70-508S	350	18	28	7 x 30	1.1	75 ~ 100	
HKD-70-510S	500	25	28	8 x 30	1.5	75 ~ 100	

## HKD MONORAIL GROOVED WINCH WITH GEAR TROLLEY VOLTAGE : 3 PHASE 415V 50HZ

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Flange Width (mm)	Duty Rating (%)
HKD-70-502	200	18	28	6 x 30	0.5	75 ~ 100	45
HKD-70-504	250	18	28	7 x 30	1.1	75 ~ 100	
HKD-70-508	350	18	28	7 x 30	1.1	75 ~ 100	
HKD-70-510	500	25	28	8 x 30	1.5	75 ~ 100	



HKD-70-502 S



HKD-300AS

**HKD MINI WINCH**  
**VOLTAGE : SINGLE PHASE 220V 50HZ**

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Duty Rating (%)
HKD-300AS	300	18 ~ 22	30	5 x 30	1.8	25
HKD-300A	300	12 ~ 15	60	5 x 60	1.3	
HKD-500A	500	11 ~ 14	30	7 x 30	1.8	

**HKD MONORAIL MINI WINCH WITH PLAIN TROLLEY**  
**VOLTAGE : SINGLE PHASE 220V 50HZ**

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Flange Width (mm)	Duty Rating (%)
HKD-60-300AS	300	18 ~ 22	30	5 x 30	1.3	75 ~ 100	25
DU-60-300A	300	12 ~ 15	60	5 x 60	1.3	75 ~ 100	
DU-60-500A	500	11 ~ 14	30	7 x 30	1.8	75 ~ 100	

**HKD MONORAIL MINI WINCH WITH GEAR TROLLEY**  
**VOLTAGE : SINGLE PHASE 220V 50HZ**

Model	Capacity (kg)	Speed (m/min)	Lifting Height (meter)	Wire Rope (mm/m)	Motor (kw)	Flange Width (mm)	Duty Rating (%)
DU-70-300AS	300	18 ~ 22	30	5 x 30	1.3	75 ~ 100	25
DU-70-300A	300	12 ~ 15	60	5 x 60	1.3	75 ~ 100	
DU-70-500A	500	11 ~ 14	30	7 x 30	1.8	75 ~ 100	



HKD-60-300AS

# HKD<sup>®</sup>



SLB MATERIALS RESOURCES SDN BHD

NO 19-01 JALAN MOLEK 1/29 TAMAN MOLEK 81100 JB

CONTACT : 019-3513389